JOURNAL OF THE KANSAS ENTOMOLOGICAL SOCIETY
67(4), 1994, pp. 430–432

INDEX TO VOLUME 67

aerial dispersal, of spider mite, 386
agar, egg substrate for western corn rootworm, 213
Akre, R. D., 1
alfalfa aphid, introduced, 129
alfalfa leafcutting bee, 53
Allen, R. T., 253
Anisopteromalus, 331
Aphelinoidea, 301; key to holarctic species, 304; ***turanica*** n. sp., 305
aphids, biotype J of greenbug, 248
aphids, honeydew collected by *Bombus*, 220
aphids, natural enemies, 129
Apidae, *Psithyrus*, 156
Apidae, *Syntrichalonia*, 283
Apoidea, genus-group names, 373
Apoidea, *Habropoda*, 236
Apoidea, nests and floral hosts of Megachilidae, 415
Asís, J. D., 199
Aslam, M., 107
Atherix, larval key, 423

Barney, W. E., 29
barometric pressure, influence on spider mite, 386
Barry, B. D., 46; 213
Baxendale, F. P, 169
bees, genus-group names, 373
bees, *Habropoda*, 236
bees, Megachilidae as pollinators of blueberry, 173
bees, nesting behavior and development in *Megachile*, 53
bees, nests and floral hosts, 415
bees, *Nomia*, 225
bees, taxonomy of heriadine genera, 17; new species, 18, 20, 21
behavior, agonistic, by wasps at bait, 426
behavior, agonistic, in *Drosophila*, 267
behavior, bait recruitment in fire ants, 133
behavior, courtship in *Xyonysius*, 37
behavior, nest construction by *Polistes mandarinus*,126
behavior, nesting in *Megachile* spp., 53
behavior, of honey wasp, 141
behavior, species recognition by *Trigona angustula*, 137
behavioral inventory of *Pelocoris*, 193
Bell, W. J., 267
Beregovoy, V. H., 248
bibliography of chinch bug, 116
biological control, of Auchenorrhyncha by Trichogrammatidae, 301
biological control, of maize weevil by pteromalid, 331
biology, of *Paratendipes*, 315
biomass production, 242
biotype J, new biotype of greenbug, 248
Bishop, J. A., 220
Blissus leucopterus, bibliography since 1888, 116
blow flies, in Colorado, 378
blue alfalfa aphid, natural enemies, 129
body size and ovarian development, in *Psithyrus*, 156
blueberry, pollination by megachilid bees, 173
Bohart, R. M., 318
Bombus hypnorum, collecting aphid honeydew, 220
Bostrichidae, effect of photoperiod, 107
Botocudo, type species, 10; *neomodesta*, n. sp., 13
Bowden, R. M., 137
Brachygastra mellifica, 141
Brailovsky, H., 10
Bramen, S. K., 29
Breed, M. D., 137
Brewer, D. W., 193
Brower, J. H., 331
Brown, G. C., 293
buffalograss, mealybug pests, 169
bumble bees, collecting aphid honeydew, 220
burying beetles, mating, 418

caddisflies, in diet of trout, 277
Calliphoridae, in Colorado, 378
Camponotus, colony size, polygyny, 1
Cane, J. H., 236
Carabidae, seasonal activity, 73; in pitfall traps, 73; size and dispersal power, 80
carpenter ants, 1
Carlton, C. E., 242
carrion associations of blow flies, 378
caterpillars, as bait for wasps, 426
centipede, prey capture and feeding, 369
Charlet, L. D., 288
chinch bug, bibliography since 1888, 116
Chironomidae, immature instars, 311
Chrysididae, parasite of *Trypoxylon*, 199
Chrysomelidae, nomenclature of Hispinae, 218
Chrysomelidae, northern corn rootworm, 102
Chrysomelidae, western corn rootworm, 46, 213
Cicadellidae, potato leafhopper, 354
colony size, in *Camponotus*, 1
Colvin, C. L., 426
courtship, in *Xyonysius*, 37
Cranshaw, W. S., 290
cultural control, of sunflower stem weevil, 288
Curculionidae, sunflower stem weevil, 288
Cynipidae, as pests, 290

Danielson, S. D., 116, 354
Darrah, L. L., 46, 213
De Jong, G. D., 378
development, of immatures of *Megachile* spp., 53
Diabrotica and non-pheromonal semiochemicals, 186
Disholcaspis quercusmamma, 290
dispersal, of twospotted spider mite, 386
Dively, G. P., 129
Dover, B. A., 107
Drosophila percnosoma, behavior, 267
Drummond, F. A., 173
Duffield, R. M., 277

JOURNAL OF THE KANSAS ENTOMOLOGICAL SOCIETY
67(4), 1994, pp. 430–432

INDEX TO VOLUME 67

aerial dispersal, of spider mite, 386
agar, egg substrate for western corn rootworm, 213
Akre, R. D., 1
alfalfa aphid, introduced, 129
alfalfa leafcutting bee, 53
Allen, R. T., 253
Anisopteromalus, 331
Aphelinoidea, 301; key to holarctic species, 304; ***turanica*** n. sp., 305
aphids, biotype J of greenbug, 248
aphids, honeydew collected by *Bombus*, 220
aphids, natural enemies, 129
Apidae, *Psithyrus*, 156
Apidae, *Syntrichalonia*, 283
Apoidea, genus-group names, 373
Apoidea, *Habropoda*, 236
Apoidea, nests and floral hosts of Megachilidae, 415
Asís, J. D., 199
Aslam, M., 107
Atherix, larval key, 423

Barney, W. E., 29
barometric pressure, influence on spider mite, 386
Barry, B. D., 46; 213
Baxendale, F. P, 169
bees, genus-group names, 373
bees, *Habropoda*, 236
bees, Megachilidae as pollinators of blueberry, 173
bees, nesting behavior and development in *Megachile*, 53
bees, nests and floral hosts, 415
bees, *Nomia*, 225
bees, taxonomy of heriadine genera, 17; new species, 18, 20, 21
behavior, agonistic, by wasps at bait, 426
behavior, agonistic, in *Drosophila*, 267
behavior, bait recruitment in fire ants, 133
behavior, courtship in *Xyonysius*, 37
behavior, nest construction by *Polistes mandarinus*,126
behavior, nesting in *Megachile* spp., 53
behavior, of honey wasp, 141
behavior, species recognition by *Trigona angustula*, 137
behavioral inventory of *Pelocoris*, 193
Bell, W. J., 267
Beregovoy, V. H., 248
bibliography of chinch bug, 116
biological control, of Auchenorrhyncha by Trichogrammatidae, 301
biological control, of maize weevil by pteromalid, 331
biology, of *Paratendipes*, 315
biomass production, 242
biotype J, new biotype of greenbug, 248
Bishop, J. A., 220
Blissus leucopterus, bibliography since 1888, 116
blow flies, in Colorado, 378
blue alfalfa aphid, natural enemies, 129
body size and ovarian development, in *Psithyrus*, 156
blueberry, pollination by megachilid bees, 173
Bohart, R. M., 318
Bombus hypnorum, collecting aphid honeydew, 220
Bostrichidae, effect of photoperiod, 107
Botocudo, type species, 10; *neomodesta*, n. sp., 13
Bowden, R. M., 137
Brachygastra mellifica, 141
Brailovsky, H., 10
Bramen, S. K., 29
Breed, M. D., 137
Brewer, D. W., 193
Brower, J. H., 331
Brown, G. C., 293
buffalograss, mealybug pests, 169
bumble bees, collecting aphid honeydew, 220
burying beetles, mating, 418

caddisflies, in diet of trout, 277
Calliphoridae, in Colorado, 378
Camponotus, colony size, polygyny, 1
Cane, J. H., 236
Carabidae, seasonal activity, 73; in pitfall traps, 73; size and dispersal power, 80
carpenter ants, 1
Carlton, C. E., 242
carrion associations of blow flies, 378
caterpillars, as bait for wasps, 426
centipede, prey capture and feeding, 369
Charlet, L. D., 288
chinch bug, bibliography since 1888, 116
Chironomidae, immature instars, 311
Chrysididae, parasite of *Trypoxylon*, 199
Chrysomelidae, nomenclature of Hispinae, 218
Chrysomelidae, northern corn rootworm, 102
Chrysomelidae, western corn rootworm, 46, 213
Cicadellidae, potato leafhopper, 354
colony size, in *Camponotus*, 1
Colvin, C. L., 426
courtship, in *Xyonysius*, 37
Cranshaw, W. S., 290
cultural control, of sunflower stem weevil, 288
Curculionidae, sunflower stem weevil, 288
Cynipidae, as pests, 290

Danielson, S. D., 116, 354
Darrah, L. L., 46, 213
De Jong, G. D., 378
development, of immatures of *Megachile* spp., 53
Diabrotica and non-pheromonal semiochemicals, 186
Disholcaspis quercusmamma, 290
dispersal, of twospotted spider mite, 386
Dively, G. P., 129
Dover, B. A., 107
Drosophila percnosoma, behavior, 267
Drummond, F. A., 173
Duffield, R. M., 277

Durden, L. A., 208

Eberhard, W. G., 37
Eckberg, T. B., 290
ectoparasites of raccoon, 208
Ellsbury, M. M., 102
Elzinga, R. J., 369
Empoasca fabae, 354; effects on soybeans, 29
Eosentomon from Ouachita Mtns., 253; ***caddoense***, n. sp., 253; *quapawense*, n. sp., 262
Ephemeroptera, 242
Ephoron album, 242
Epler, J. H., 311
Eurysternus mexicanus, immatures, 347
extra-pair copulation, in Silphidae, 418

Ferrington, L. C., Jr., 311
fire ants, bait recruitment, 133
fleas, on raccoon, 208
flight activity, of *Rhyzopertha*, 107
Flint, O. S., 277
foraging, by honey wasp, 141
foraging, by *Nomia* bees, 225
forensic entomology, Calliphoridae, 378
Formicidae, 1
Fuentes, C., 129
fungi, food of Oxyporinae, 394

gall wasps, pests of oak, 290
Garry, M. F., 137
Gayubo, S. F., 199
Glossosoma verdona, in diet of trout, 277
Goodrich, M. A., 394
Greenberg, L., 133
greenbug aphids, biotype J, 248
Griswold, T. L., 17
ground beetles, seasonal activity, 73

Habropoda laboriosa, 236
Hagiwara, Y., 126
Hagstrum, D. W., 107
Halictidae, *Nomia*, 225
Hanley, R. S., 394
Hansen, L. D., 1
Harris, M. A., 340
Hemichalepus, synonym of *Xenochalepus*, 218
Hesler, L. S., 186
Homoptera (Pseudococcidae), 169
host plants, of potato leafhopper, 354

immature instars of Mexican Scarabaeidae, 347; of Athericidae, 421; of *Paratendipes*, 311
Ixodidae, on raccoon, 208

Johnson-Cicalese, J. M., 169

Kilambi, R. V., 242
Kipp, L. R., 267
Kojima, J., 126
Kukuk, P. F., 225

LaBerge, W. E., 283
Lamp, W. O., 129; 354
Lance, D. R., 186

Leafhoppers, *Empoasca fabae* on soybeans, 29
legs, use in feeding by centipede, 369
lek sites, in *Drosophila*, 267
Levesque, C., 73
Levesque, G-Y., 73
Li, J., 386
Liang, A-P., 296
Liewehr, D., 129
life cycle, of *Megachile* spp., 53
López-Guerrero, Y., 347
Lygaeidae, 10; courtship, 37

MacKay, W. P., 133
Machaerotidae, taxonomy, 296
maize weevil, biological control, 331
Mallophaga, on raccoon, 208
Manduca sexta, as bait for *Vespula*, 426
Margolies, D. C., 386
mating behavior, of *Habropoda*, 236
Mayflies, life history, 242
McAllen, R. L., 141
mealybugs, 169
Megachile, nesting and development in *M. rotundata, M. apicalis*, 53
Megachile rotundata, pollinator of blueberry, 173
Megachilidae, 17; nests and floral hosts, 415
Mexican honey wasp, 141
Michener, C. D., 373
Mize, T. W., 116
Moellenbeck, D. J., 46; 213
Morón, M. A., 347
Multiple queens, in *Camponotus*, 1
Myhre, E. A., 1

Naucoridae, behavior, 193
Nelson, C. H., 277
Neochalepus, new subgenus of *Xenochalepus* (Chrysomelidae), 219
Neoperla hubbsi redescription, 298
Neosigmasoma, synonym of *Sigmasoma*, 296
Neozygites floridana, fungus attacking spider mites, 293
Nepa apiculata, in Missouri, 216
nest architecture, of honey wasp, 148; of megachilid bees, 415
nest construction, by *Polistes mandarinus*, 126
nesting biology, of *Habropoda*, 236
nestmate recognition, in *Trigona angustula*, 137
Nichols, B. J., 216
Nielson, G. R., 354
nomenclature, names of bee genera, 373
Nomia (Austronomia) australica, foraging, 225
Nordin, G. L., 293
northern corn rootworm, effect of temperature on hatching, 102; semiochemicals, 186
notice, "Access to UnCover", 247
notice of 71st annual meeting of Kansas (Central States) Entomological Society, 223; 241; 429

oak rough bulletgall wasp, 290
Osgood, E. A., 173
Osmia ribifloris, pollinator of blueberry, 173
Othinosmia, 17; ***stupenda***, n. sp., 21
ovarian development, in *Psithyrus*, 156

Oxyporinae of Illinois, 394

Paratendipes basidens, 311
Paurocoris, in U. S., 10
Pelocoris femoratus, behavior, 193
Peters, D. C., 248
Phillips, E. C., 242
photoperiod, effect on biology of *Rhyzopertha dominica*, 107
plant damage, by greenbug, 248
Plecoptera, 298; of Illinois, 340
Polistes mandarinus, 126
pollination, of blueberry by *Habropoda*, 236
pollinators, *Osmia* and *Megachile*, 173
polygyny, in *Camponotus*, 1
polyphagy, in potato leafhopper, 354
population biology, of honey wasp, 141
potato leafhopper, effects on soybeans, 29; polyphagy, 354
prey capture, by centipede, 369
Protura, 253
Pseudococcidae, 169
Psithyrus, ovarian development, 156
Pteromalidae, 331

raccoon, ectoparasites, 208
raspberry plantation, abundance and activity of Carabidae in, 73
Raveret Richter, M. A., 426
red imported fire ant, 133
resistance, of corn to corn rootworm, 46
Rhyzopertha dominica, effect of photoperiod, 107
Richards, K. W., 156
Richardson, D. J., 208
Riley, E. G., 218
Riordan, T. P., 169
Robertson, I. C., 418
Rodriguez, R. L., 37
rove beetles, in Illinois, 394

Scarabaeidae, immatures of Mexican species, 347
Scolopendra viridis, feeding, 369
semiochemicals attractive to corn rootworm, 186
sexual selection, in Lygaeidae, 37
Sigmasoma, synonymy, 296
Silphidae, mating, 418
Sisyphus submonticolus, immatures, 347
Sites, R. W., 193
Sitophilus zeamais, 331
Slater, J. A., 10
Smith, N. J., 318
Snyder, D. E., 208
Solenopsis invicta, monogynous and polygynous forms compared, 133
spatial distribution, in *Drosophila*, 267
species recognition, by *Trigona* bees, 137
Sphecidae, life history and prey of *Trypoxylon*, 199
Sphecidae, new species of *Spilomena*, 318
spider mite, dispersal influenced by barometric pressure, 386
spiders, prey of *Trypoxylon* wasps, 199
Spike, B. P., 116
Spilomena, 318; key to species of America north of Mexico, 319; ***bakeri***, n. sp., 321; ***clypearis***, n. sp., 324; ***fresno***, n. sp., 325; ***hainesi***, n. sp., 326; ***kelso***, n. sp., 326; ***leucostigma***, n. sp., 327; ***menkei***, n. sp., 328; ***montana***, n. sp., 328; ***occidentalis***, n. sp., 329
Staines, C. L., 218
Staphylinidae, Oxyporinae of Illinois, 394
Stark, B. P., 298
Stenoheriades, 17; ***eingeddicus***, n. sp., 18; ***prionotus***, n. sp., 20
stoneflies, of Illinois, 340
Stubbs, C. S., 173
Sugden, E. A., 141
sunflower stem weevil, 288
Suragina concinna, immature instars, 421; larval key, 423
susceptibility of spider mites to fungus, 293
Susilo, F. X., 293
Sutter, G. R., 186
synonymy, in bee names, 373
Syntrichalonia, 283; ***fuliginea***, n. sp., 283; *exquisita*, 286

temperature, effect on hatching of northern corn rootworm, 102
temporal distribution, in *Drosophila*, 267
Tetranychus urticae, 293; dispersal, 386
Tipping, C., 253
Torchio, P. F., 53
Tormos, J., 199
Trichogrammatidae, 301
Trichoptera, in diet of trout, 277
Trichrysis cyanea, parasite of *Trypoxylon*, 199
Tridiscus sporoboli, 169
Trionymus sp., 169
Trjapitzin, S. V., 301
Trostle, G., 53
trout, caddisflies in diet, 277
Trypoxylon attenuatum, biology and larva, 199
twospotted spider mite, 293; 386

Vespidae, 141
Vespula vidua, feeding at bait, 426
Vinson, S. B., 133
Vogel, M. E., 225

wasps, *Vespula* at caterpillar bait, 426
Webb, D. W., 340; 421
Wen, B., 331
western corn rootworm, 46; laboratory rearing, 213; resistance to in corn, 46
Wilde, G. E., 116
Woodson, W. D., 102
Wright, R. J., 116

xanthan gum, egg substrate for corn rootworm, 213
Xenochalepus, included species, 219

Yanega, D., 415
Yeargan, K. V., 29